

McALPINE

Perfect Grind®

Waste Disposal Units



Contact

McAlpine & Co Ltd.
Kelvin Avenue, Hillington
Glasgow, G52 4LF

Phone & Fax

Tel: 0141 882 3213
Fax: 0141 891 5065
Fax: (Sales Office) 0141 883 5697

Online

www.mcalpineplumbing.com

Perfect Grind® Waste Disposal Units

An **environmentally sound solution** to the growing problem of food waste.

- **25% more torque** than other brands provides more grinding power
- Unique permanent magnet motor produces **higher RPM** (revolutions per minute) than AC (alternating current) induction motors
- Corrosion proof cast **stainless steel** impellers on all models
- 180° dual swivel anti-jam impellers **prevent jamming**
- **High efficiency** performance saves time, water and energy
- Motor incorporates **sound eliminating** insulation technology for quiet operation
- **BioGuard antimicrobial** eliminates bacteria and odours
- Power cord included
- Supplied with **90° Bend x 1½” BSP thread** for connection to trap

Product Features



Waste Disposal Units

Product	Code	Level	HP-RPM	Warranty	Fixing System	Grinding System	Switch	Noise Level
	WDU-1ASUK	Entry	½ HP - 2500 RPM	3 Year	3 Bolt	Stainless Steel	Built-in Air Switch	53-54 dBA
	WDU-2ASUK	Mid	¾ HP - 2500 RPM	5 Year	3 Bolt	Stainless Steel	Built-in Air Switch	52-54 dBA
	WDU-3ASUK	High	¾ HP - 2500 RPM	8 Year	3 Bolt	Stainless Steel	Built-in Air Switch	56.4 dBA
	WDU-4ASUK	High	1¼ HP - 2500 RPM	10 Year	3 Bolt	Stainless Steel	Built-in Air Switch	57-58 dBA

Perfect Grinding System

Perfect Grind® System can efficiently grind the toughest bones **faster and finer** than other brands and is safe for any properly sized septic system. **Wear resistant and corrosion proof.**

- Stainless steel, high precision, high speed dynamic balanced grinding turntable
- Stainless steel dual swivel anti-jam impellers prevent jamming
- Stainless steel grinding rings
- Specially designed large opening, round holes and arch cutters

Batch Feed Kit

For converting continuous feed models to feed allowing the disposal unit cover to be used as an on/off switch.



Corrosion Proof Grinding Chamber

Grinding chamber is constructed with the proven durability of glass filled nylon for **lasting performance** and is treated with **BioGuard antimicrobial** odour protection.




Air Switch Adaptor

All WDU's include a Chrome air switch adaptor. Chrome and Matt Black air switches are available separately.




Technical Specifications


WDU-1ASUK - Perfect Grind® continuous feed ½ HP Food Waste Disposer Hopper Capacity 857ml




WDU-2ASUK - Perfect Grind® continuous feed ¾ HP Food Waste Disposer Hopper Capacity 1070ml



WDU-3ASUK - Perfect Grind® continuous feed ¾ HP Food Waste Disposer Hopper Capacity 1070ml



WDU-4ASUK - Perfect Grind® continuous feed 1¼ HP Food Waste Disposer Hopper Capacity 1070ml



Waste Disposer Technical Specs

Motor Type	Permanent Magnet	Sink Flange	Stainless Steel
Feed	Continuous	Basket Strainer	Stainless Steel
Volts	220-240V	Drain Elbow	ABS
Frequency	50/60Hz	Bearings	Permanently Lubricated, Sleeve Type
Motor Speed	2500RPM		
Balance Level	G.04	Manual Reset	Protection for Overload and Temperature.
Turntable	Stainless Steel		
Grind Rings	Stainless Steel		

Contact

McAlpine & Co Ltd.
Kelvin Avenue, Hillington
Glasgow, G52 4LF

Phone & Fax

Tel: 0141 882 3213
Fax: 0141 891 5065
Fax: (Sales Office) 0141 883 5697

Online

www.mcalpineplumbing.com